

1 UPS 32-100 180



: 95906500

3-

\*  
\*  
\*  
\*  
\*  
\*

, PES/PP.

1-

: -25 .. 110 °C  
: 60 °C  
: 983.2 / 3

TF

: 110  
: CE

EN-JL1030  
ASTM 30 B  
, PES/PP

.T : - 80 0C: 40 °C

: 10  
: G 2  
: PN 10  
: 180


C

: 9.5  
: 1: 280  
: 2: 340  
: 345

: 50 Hz  
: 1 x 230 V  
1: 1.3 A  
2: 1.5 A  
3: 1.52 A  
- : 9.5  
(IEC 34-5): X4D  
(IEC 85): H

:  
:  
:  
:  
: 6.4  
: 6.9  
: 0.012<sup>3</sup>

## 95906500 UPS 32-100 180 50



		UPS 32-100 180
		95906500
EAN	:	5700312073079
		3
TF	:	100
	:	110
	:	CE
		EN-JL1030
		ASTM 30 B
		, PES/PP
80 OC:	T	40 °C
	:	10
	:	G 2
	:	PN 10
	:	180
	:	-25 .. 110 °C
	:	60 °C
	:	983.2 / ³
C	:	9.5
	:	1: 280
	:	2: 340
	:	345
	:	50 Hz
	:	1 x 230 V
	1:	1.3 A
	2:	1.5 A
	3:	1.52 A
	:	9.5
(IEC 34-5):	:	X4D
(IEC 85):	:	H
	:	CONTACT
	:	9H
	:	6.4
	:	6.9
	:	0.012 ³

