

1 UPS 32-120 F



: 96401837

\* 3  
\*  
\*  
\*  
\*  
\*  
\*

- 1-

: -10 .. 120 °C  
: 60 °C  
983.2 / 3


: AAA,EAC

EN-JL1040  
ASTM 35 B - 40 B





DIN W.-Nr. 1.4301  
AISI 304

:  
 : 0 .. 40 °C  
 : 10  
 : DIN  
 : DN 32  
 : PN 6 / PN 10  
 : 220  
 :  
 C : 10  
 : 1: 320  
 : 2: 340  
 : 380  
 : 50 Hz  
 : 1 x 230-240 V  
 : 1: 1.55 A  
 : 2: 1.65 A  
 : 3: 1.75 A  
 Cos 1: 0,9  
 Cos 2: 0,9  
 Cos : 0,94  
 : 10 /400 V  
 (IEC 85): H  
 Enclosure class (IEC 60529): X4D  
 :  
 : 17.3  
 : 17.6  
 : 0.026 <sup>3</sup>

**96401837 UPS 32-120 F 50**



		UPS 32-120 F
		96401837
EAN		5700390905071
		3
		120
		AAA,EAC
		EN-JL1040
		ASTM 35 B - 40 B
		DIN W.-Nr. 1.4301
		AISI 304
		0 .. 40 °C
		10
		DIN
		DN 32
		PN 6 / PN 10
		220
		-10 .. 120 °C
		60 °C
		983.2 / 3
C		10
		1: 320
		2: 340
		380
		50 Hz
		1 x 230-240 V
	1:	1.55 A
	2:	1.65 A
	3:	1.75 A
Cos	1:	0,9
Cos	2:	0,9
Cos		0,94
		10 /400 V
	(IEC 85):	H
	Enclosure class (IEC 60529):	X4D
		CONTACT
		1.30H
		17.3





Email:

+380971357799  
a422@i.ua

: 17.6  
: 0.026<sup>3</sup>